

**Report No.:** 0164093657a 001 Page 1 of 20

**Client:** SHENZHEN FULLGO SECURITY PACKAGING TECHNOLOGY CO., LIMITED  
Room 312, No. 9 building, Longyin Road, Xixiang, Baoan District  
Shenzhen, P. R. China

**Test item(s):** 3 materials

**Identification/ Model No(s):** Security Void Film Material

**Sample Receiving date:** 2017-05-17

**Testing Period:** 2017-05-17 - 2017-05-25

<b>Test Specification:</b>	<b>Test result:</b>
1. Polycyclic aromatic hydrocarbons (PAHs) - according to GS Specification, AfPS GS 2014:01 PAK	<b>PASS</b>
2. Polycyclic aromatic hydrocarbons (8PAHs)	<b>PASS</b>
3. BBP, DBP, DEHP content and DNOP, DINP, DIDP content requirements of REACH regulation (EC) No. 1907/2006 and amendment no. 552/2009 Annex XVII Item 51 & 52 respectively (formerly known as 2005/84/EC)	<b>PASS</b>
4. Total Cadmium Content	<b>PASS</b>
5. Total Lead Content	<b>PASS</b>
6. Short Chain Chlorinated Paraffin (SCCP)	<b>PASS</b>
7. Organotin compounds content according to REACH Regulation (EC) No. 1907/2006 Annex XVII Item 20 and amendment Commission Regulation (EU) No. 276/2010 (formerly known as 2009/425/EC)	<b>PASS</b>
8. Packaging Waste Heavy Metal Test - 94/62/EC	<b>PASS</b>
9. Risk Assessment of Articles: Screening of substances of very high concern (SVHC) subject to authorisation, according to (EU) No 143/2011, (EU) No 125/2012, (EU) No 348/2013 and (EU) No 895/2014 (Annex XIV of EC No 1907/2006) and candidate list by European Chemical Agency (ECHA), according to the EU Court of Justice rules on SVHCs in articles	<b>Please refer to page 13-19</b>

For and on behalf of  
TÜV Rheinland (Shenzhen) Co., Ltd.




**2017-05-26 Patrick Wan / Senior Project Engineer**

*Date Name/Position*

*Test result is drawn according to the kind and extent of tests performed.  
This test report relates to the a. m. test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.*

**Test Report No.: 0164093657a 001**

Page 2 of 20

**Material List:****Item: Security Void Film Material**

<b>Material No.</b>	<b>Material</b>	<b>Color</b>	<b>Location</b>
<b>M001</b>	<b>Plastic + adhesive</b>	<b>White</b>	<b>Security Void Film Material</b>
<b>M002</b>	<b>Paper</b>	<b>White</b>	<b>Package</b>
<b>M003</b>	<b>Card board</b>	<b>Brown</b>	<b>Package</b>

**Test Report No.: 0164093657a 001**

Page 3 of 20

**1. Polycyclic aromatic hydrocarbons (PAHs)**

Test Method: AfPS GS 2014:01 PAK

**Test Result:**

Test No.				T001
Material No.				M001
Test Parameter	CAS NO	Unit	RL	Result
Acenaphthene	83-32-9	mg/kg	0.2	n.d.
Acenaphthylene	208-96-8	mg/kg	0.2	n.d.
Anthracene	120-12-7	mg/kg	0.2	n.d.
Benzo[a]anthracene	56-55-3	mg/kg	0.2	n.d.
Benzo[a]pyrene(BaP)	50-32-8	mg/kg	0.2	n.d.
Benzo[b]fluoranthene	205-99-2	mg/kg	0.2	n.d.
Benzo[k]fluoranthene	207-08-9	mg/kg	0.2	n.d.
Benzo[j]fluoranthene	205-82-3	mg/kg	0.2	n.d.
Benzo[g,h,i]perylene	191-24-2	mg/kg	0.2	n.d.
Benzo[e]pyrene	192-97-2	mg/kg	0.2	n.d.
Chrysene	218-01-9	mg/kg	0.2	n.d.
Dibenzo[a,h]anthracene	53-70-3	mg/kg	0.2	n.d.
Fluoranthene	206-44-0	mg/kg	0.2	n.d.
Fluorene	86-73-7	mg/kg	0.2	n.d.
Indeno[1,2,3-cd]pyrene	193-39-5	mg/kg	0.2	n.d.
Naphthalene	91-20-3	mg/kg	0.2	0.3
Phenanthrene	85-01-8	mg/kg	0.2	n.d.
Pyrene	129-00-0	mg/kg	0.2	n.d.
Sum of Acenaphthylene, Acenaphthene, Anthracene, Fluoranthene, Fluorene, Phenanthrene, Pyrene	-	mg/kg	-	n.d.
Sum of 18 PAHs	-	mg/kg	-	0.3
Category*	-	-	-	2 (other products)

**Abbreviation:** n.d. = not detected (< Reporting Limit)

RL = Reporting Limit

NA = Not Applicable

mg/kg = milligram per kilogram



**Test Report No.: 0164093657a 001**

Page 4 of 20

**Remark:**

- \* PAH maximum permissible limits requirement from the GS-Mark Approval published by the German Federal Institute for Occupational Safety and Health (BAuA)

Parameter	Unit	Category 1	Category 2		Category 3	
		Materials intended to be put into the mouth or materials of toy for children with long term intended skin contact (longer than 30 s)	Materials not covered by category 1, with foreseeable long term skin contact (longer than 30 s) or repeated short-term skin contact		Materials not covered by category 1 or 2, with foreseeable short term contact (shorter than 30s)	
		-	Toys according to directive 2009/48/EC	Other products according to ProdSG	Toys according to directive 2009/48/EC	Other products according to ProdSG
Benzo[a]pyrene(BaP)	mg/kg	<0.2	<0.2	<0.5	<0.5	<1
Benzo[e]pyrene	mg/kg	<0.2	<0.2	<0.5	<0.5	<1
Benzo[a]anthracene	mg/kg	<0.2	<0.2	<0.5	<0.5	<1
Benzo[b]fluoranthene	mg/kg	<0.2	<0.2	<0.5	<0.5	<1
Benzo[j]fluoranthene	mg/kg	<0.2	<0.2	<0.5	<0.5	<1
Benzo[k]fluoranthene	mg/kg	<0.2	<0.2	<0.5	<0.5	<1
Chrysene	mg/kg	<0.2	<0.2	<0.5	<0.5	<1
Dibenzo[a,h]anthracene	mg/kg	<0.2	<0.2	<0.5	<0.5	<1
Benzo[g,h,i]perylene	mg/kg	<0.2	<0.2	<0.5	<0.5	<1
Indeno[1,2,3-cd]pyrene	mg/kg	<0.2	<0.2	<0.5	<0.5	<1
Naphthalene	mg/kg	<1	<2	<2	<10	<10
Sum of Acenaphthylene Acenaphthene Anthracene Fluoranthene Fluorene Phenanthrene Pyrene	mg/kg	<1	<5	<10	<20	<50
Sum of 18 PAHs	mg/kg	<1	<5	<10	<20	<50

Limit: Specific evaluation required according to type of foreseeable use.

- \*\* Single components with an amount of <0.2 mg/kg were not considered by the calculation of the sum. In the case of all 18 PAHs were not detected, the result is stated n.d.

**Test Report No.: 0164093657a 001**

Page 5 of 20

**2. Polycyclic aromatic hydrocarbons (PAHs)**

Test Method: Organic solvent extraction, GCMS

				Test No.	T001
				Material No.	M001
Test Parameter	CAS NO	Unit	RL	Regulatory Requirement	Result
Benzo[a]anthracene (BaA)	56-55-3	mg/kg	0.2	1	n.d.
Benzo[a]pyrene (BaP)	50-32-8	mg/kg	0.2	1	n.d.
Benzo[b]fluoranthene (BbFA)	205-99-2	mg/kg	0.2	1	n.d.
Benzo[k]fluoranthene (BkFA)	207-08-9	mg/kg	0.2	1	n.d.
Benzo[j]fluoranthene (BjFA)	205-82-3	mg/kg	0.2	1	n.d.
Benzo[e]pyrene (BeP)	192-97-2	mg/kg	0.2	1	n.d.
Chrysene (CHR)	218-01-9	mg/kg	0.2	1	n.d.
Dibenzo[a,h]anthracene (DBAhA)	53-70-3	mg/kg	0.2	1	n.d.

**Abbreviation:** n.d. = Not Detected (< Reporting Limit)

RL = Reporting Limit

NA = Not Applicable

mg/kg = milligram per kilogram

**Remark:**

- \* Requirement according to REACH regulation (EC) No. 1907/2006 with Amendment No. 552/2009 Annex XVII Item No. 50 and (EU) No.1272/2013, are summarized as below:

Scope	Parameter	Unit	Maximum permissible limit
Articles with direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, made of plastic and rubber shall follow below limit:			
Such articles include amongst others: ---sport equipment such as bicycles, golf clubs, racquets ---household utensils, trolleys, walking frames --- tools for domestic use --- clothing, footwear, gloves and sportswear ---watch-straps, wrist-bands, masks, head-bands	Each of 8 listed PAHs	mg/kg	1
Toys, including activity toys, and childcare articles	Each of 8 listed PAHs	mg/kg	0.5

**Test Report No.: 0164093657a 001**

Page 6 of 20

### 3. Phthalates

Test Method: Organic solvent extraction, analyzed by GCMS

#### Test Result:

					Test No.	T001
					Material No.	M001
Test Parameter	CAS NO	Unit	RL	Regulatory Requirement	Result	
Dibutyl phthalate (DBP)	84-74-2	%	0.005	--	n.d.	
Benzylbutyl phthalate (BBP)	85-68-7	%	0.005	--	n.d.	
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.005	--	n.d.	
Sum (DBP+BBP+DEHP)	-	%	NA	0.1	n.d.	
Di-n-octyl phthalate (DNOP)	117-84-0	%	0.005	--	n.d.	
Diisodecyl phthalate (DIDP)	26761-40-0, 68515-49-1	%	0.005	--	n.d.	
Diisononyl phthalate (DINP)	28553-12-0, 68515-48-0	%	0.005	--	n.d.	
Sum (DNOP+DIDP+DINP)	-	%	NA	0.1	n.d.	

**Abbreviation:** n.d. = not detected (< RL)  
 RL = Reporting Limit  
 NA = Not Applicable  
 % = percentage

#### Remark:

- \* Single component with an amount below reporting limit was not considered by the calculation of the sum. In the case of all Phthalates were not detected, the result is stated n.d.
- \*\* REACH regulation (EC) No. 1907/2006 and amendment no. 552/2009 Annex XVII Item 51 (formerly known as 2005/84/EC) on BBP, DBP and DEHP and Item 52 (formerly known as 2005/84/EC) on DNOP, DIDP and DINP are employed.



**Test Report No.: 0164093657a 001**

Page 7 of 20

**4.Total Cadmium Content**

Test Method: For plastic: EN 1122:2001 (method B)  
For metal and other material: Acid digestion, analysed by AAS/ ICP-OES

**Test Result:**

Test No.	Material No.	Test Parameter	Unit	RL	Customer's Requirement	Test Result
T001	M001	Cadmium	mg/kg	10	100	n.d.

**Abbreviation:** n.d. = not detected (< Reporting Limit)

RL = Reporting Limit

mg/kg = milligram per kilogram



**Test Report No.: 0164093657a 001**

Page 8 of 20

**5.Total Lead**

Test Method: Acid digestion, analyzed by ICP-OES / AAS

**Test result:**

Test No.	Material No.	Test Parameter	Unit	RL	Customer's Requirement	Test Result
T001	M001	Lead Content	mg/kg	10	500	10

**Abbreviation:** n.d. = not detected (< Reporting Limit)  
RL = Reporting Limit  
mg/kg = milligram per kilogram



**Test Report No.: 0164093657a 001**

Page 9 of 20

**6.Short Chain Chlorinated Paraffin (SCCP)**

Test Method: Leather Materials: ISO 18219:2015  
Non-Leather Materials: CADS method

**Test result:**

Test No.	Material No.	Test Parameter	Unit	RL	Regulatory Requirement	Result
T001	M001	SCCP	%	0.01	0.15	n.d.

**Abbreviation: n.d. = not detected (<Reporting Limit)**
**RL = Reporting Limit**
**SCCP = Short Chain Chlorinated Paraffin C10-C15**
**% = Percentage**
**Remark:**

\* **According to Commission Regulation (EU) No 2015/2030 and amending Regulation (EC) No 850/2004 on persistent organic pollutants (POP Regulation) as regards Annex I:**

<b>Alkanes C10-C15, chloro (short-chain chlorinated paraffins) (SCCPs)</b>	<b>Maximum Permissible Limit</b>
<b>The production, placing on the market and use of articles containing SCCPs</b>	<b>&lt; 0.15% by weight</b>
<b>The production, placing on the market and use of substances or preparations containing SCCPs</b>	<b>&lt; 1% by weight</b>

**Test Report No.: 0164093657a 001**

Page 10 of 20

**7. Organotin Compounds (TBT, TPT, TOT, TCyT, TPPrT, DBT and DOT)**

 Test Method: Organic solvent extraction, GCMS  
 Ref. to ISO 17353:2004

				Test No.	T001
				Material No.	M001
Test Parameter	Unit	RL	Regulatory Requirement	Result	
TBT(Tributyltin)	%	0.01	0.1	n.d.	
TPT(Triphenyltin)	%	0.01	0.1	n.d.	
TOT(Trioctyltin)	%	0.01	0.1	n.d.	
TcyT(Tricyclohexyltin)	%	0.01	0.1	n.d.	
TPPrT(Tripopyltin)	%	0.01	0.1	n.d.	
Sum of tri-substituted organotins	%	NA	0.1	n.d.	
DBT(Dibutyltin)	%	0.01	0.1	n.d.	
DOT(Dioctyltin)	%	0.01	0.1	n.d.	

**Abbreviation:** n.d. = not detected (< Reporting Limit)  
 RL = Reporting Limit  
 % = percentage  
 NA = Not Applicable



**Test Report No.: 0164093657a 001**

Page 11 of 20

**Remark:**

- \*1 Single components with an amount of <0.01% were not considered in the calculation of the sum. In the case of all five tri-substituted organotins were not detected, the result is stated n.d.
- \*2 The assessment for tri-substituted organotins is based on the sum of TBT, TPT, TOT, TCyT and TPrT only.
- \*3 According to REACH Regulation (EC) No. 1907/2006 Annex XVII Item 20 and amendment Commission Regulation (EU) No. 276/2010 (formerly known as 2009/425/EC), organostannic compounds shall not be used or be placed on the market-

Type of organostannic compounds	Maximum Permissible Limit	Implementation date
Tri-substituted organostannic compounds, e.g. tributyltin (TBT) compounds and triphenyltin (TPT) compounds	0.1 % by weight of tin	1 July 2010
Dibutyltin (DBT) compounds in mixtures and articles for supply to the general public	0.1 % by weight of tin	1 January 2012  The below products will not be applicable until 1 January 2015: - one-component and two-component room temperature vulcanisation sealants (RTV-1 and RTV-2 sealants) and adhesives, - paints and coatings containing DBT compounds as catalysts when applied on articles, - soft polyvinyl chloride (PVC) profiles whether by themselves or coextruded with hard PVC, - fabrics coated with PVC containing DBT compounds as stabilisers when intended for outdoor applications, - outdoor rainwater pipes, gutters and fittings, as well as covering material for roofing and facades
Diocetyl tin (DOT) compounds - textile articles intended to come into contact with the skin, - gloves, - footwear or part of footwear intended to come into contact with the skin, - wall and floor coverings - childcare articles, - female hygiene products, - nappies, - two-component room temperature vulcanisation moulding kits (RTV-2 moulding kits)	0.1 % by weight of tin	1 January 2012



**Test Report No.: 0164093657a 001**

Page 12 of 20

**8. Packaging Waste Heavy Metal Test - 94/62/EC**

 Test Method: Acid digestion, analyzed by ICP-OES  
For Cr (VI) - EN 62321:2009

**Result:**

Test No.	Material No.	Test Parameter	Unit	RL	Regulatory Requirement	Result
T001	M002 + M003	Pb	mg/kg	10	100 (total of Pb, Cd, Cr(VI) and Hg)	n.d.
		Cd	mg/kg	10		n.d.
		Cr (VI)	mg/kg	10		n.d.
		Hg	mg/kg	10		n.d.

**Abbreviation:** n.d. = not detected (< Reporting Limit)  
 RL = Reporting Limit  
 mg/kg = milligram per kilogram  
 Pass = the sum of 4 elements is less than or equal to 100 mg/kg.  
 Fail = the sum of 4 elements is over 100 mg/kg.  
 Uncertain = the sum of 4 elements fell into the uncertainty range.  
 N.A = Not Applicable

**Remark:**

\*1 According to "European Parliament and Council Directive 94/62/EC of 20 December 1994"; the maximum permissible limit of the sum of the concentration of Lead, Cadmium, Mercury and Hexavalent Chromium is 100ppm.



**Test Report No.: 0164093657a 001**

Page 13 of 20

9. Screening of substances of very high concern (SVHC) subject to authorisation, according to (EU) No 143/2011, (EU) No 125/2012, (EU) No 348/2013 and (EU) No 895/2014 (Annex XIV of EC No 1907/2006) and candidate list by European Chemical Agency (ECHA), according to the EU Court of Justice rules on SVHCs in articles.

### Test Results

Screening of SVHCs subject to authorisation, according to (EU) No 143/2011, (EU) No 125/2012, (EU) No 348/2013 and (EU) No 895/2014 (Annex XIV of EC No 1907/2006) and SVHCs in candidate list by European Chemical Agency (ECHA), and the EU Court of Justice rules on SVHCs in articles

Test Method: 1) Test portion is digested with acid and assisted with microwave, the elements are analysed by ICP-OES.  
 2) Test portion is extracted by organic solvent, semi-quantitative analysis by GC-MS / UV-Vis.  
 3) Test portion is extracted by organic solvent, the extraction solution is analyzed by Headspace-GC/MS / LC-DAD-MS / LC-MS/MS.

Test No.:	T001	T002
Material No.:	M001	M002 + M003
Result (%)	n.d.	n.d.

**Abbreviation:** n.d. = Not Detected (< Reporting Limit)  
 RL = Reporting Limit  
 % = Percentage



**Test Report No.: 0164093657a 001**

Page 14 of 20

## Remark:

(\*1) The reporting limit for each individual SVHC subject to authorisation according to (EU) No 143/2011, (EU) No 125/2012, (EU) No 348/2013 and (EU) No 895/2014 (Annex XIV of EC No 1907/2006):


	Substance	CAS No.	Reporting Limit
1	4,4'- Diaminodiphenylmethane (MDA)	101-77-9	0.01%
2	Benzyl butyl phthalate (BBP)	85-68-7	0.01%
3	Bis (2-ethylhexyl)phthalate (DEHP)	117-81-7	0.01%
4	Dibutyl phthalate (DBP)	84-74-2	0.01%
5	Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified: Alpha-hexabromocyclododecane Beta-hexabromocyclododecane Gamma-hexabromocyclododecane	25637-99-4 / 3194-55-6 / 134237-50-6 / 134237-51-7 / 134237-52-8	0.01%
6	5-tert-butyl-2,4,6-trinitro-m-xylene (Musk xylene)	81-15-2	0.01%
7	2,4-Dinitrotoluene (2,4-DNT)	121-14-2	0.01%
8	Diisobutyl phthalate (DIBP)	84-69-5	0.01%
9	Tris(2-chloroethyl)phosphate	115-96-8	0.01%
10	Diarsenic pentaoxide (*3)	1303-28-2	0.01%
11	Diarsenic trioxide (*3)	1327-53-3	0.01%
12	Lead chromate (*3)(*4)	7758-97-6	0.01%
13	Lead chromate molybdate sulphate red (C.I. Pigment Red 104) (*3)(*4)	12656-85-8	0.01%
14	Lead sulfochromate yellow (C.I. Pigment Yellow 34) (*3)	1344-37-2	0.01%
15	Trichloroethylene	79-01-6	0.01%
16	Chromium trioxide (*4)	1333-82-0	0.01%
17	Acids generated from chromium trioxide and their oligomers: Names of the acids and their oligomers: Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid. (*4)	7738-94-5 / 13530-68-2	0.01%
18	Sodium dichromate (*3)	7789-12-0 / 10588-01-9	0.01%
19	Potassium dichromate (*4)	7778-50-9	0.01%
20	Ammonium dichromate (*4)	7789-09-5	0.01%
21	Potassium chromate (*4)	7789-00-6	0.01%
22	Sodium chromate (*4)	7775-11-3	0.01%
23	Formaldehyde, oligomeric reaction products with aniline (technical MDA) (*11)	25214-70-4	0.01%
24	1,2-Dichloroethane	107-06-2	0.01%
25	Bis(2-methoxyethyl) ether	111-96-6	0.01%
26	Arsenic acid (*3)	7778-39-4	0.01%
27	2,2'-dichloro-4,4'-methylenedianiline (MOCA)	101-14-4	0.01%
28	Dichromium tris(chromate) (*4)	24613-89-6	0.01%
29	Strontium chromate (*4)	7789-06-2	0.01%
30	Potassium hydroxyoctaoxodizincatedichromate (*4)	11103-86-9	0.01%
31	Pentazinc chromate octahydroxide (*4)	49663-84-5	0.01%

**Test Report No.: 0164093657a 001**

Page 15 of 20

(\*2) The reporting limit for each individual SVHC in Candidate List by ECHA:

	Substance	CAS No.	Reporting Limit
32	Anthracene	120-12-7	0.01%
33	Bis(tributyltin) oxide (TBTO) (*3) (*5)	56-35-9	0.01%
34	Triethyl arsenate (*3)	15606-95-8	0.01%
35	Lead hydrogen arsenate (*3)	7784-40-9	0.01%
36	Cobalt dichloride (*3)	7646-79-9	0.01%
37	Acrylamide	79-06-1	0.01%
38	Anthracene oil (*7)	90640-80-5	0.01%(*8)
39	Anthracene oil, anthracene paste, distn. lights (*7)	91995-17-4	
40	Anthracene oil, anthracene paste, anthracene fraction (*7)	91995-15-2	
41	Anthracene oil, anthracene-low (*7)	90640-82-7	
42	Anthracene oil, anthracene paste (*7)	90640-81-6	
43	Pitch, coal tar, high temperature (*7)	65996-93-2	
44	Boric acid (*3) (*6)	10043-35-3 / 11113-50-1	0.01%
45	Disodium tetraborate, anhydrous (*3) (*6)	1303-96-4 / 1330-43-4 / 12179-04-3	0.01%
46	Tetraboron disodium heptaoxide, hydrate (*3) (*6)	12267-73-1	0.01%
47	2-Methoxyethanol	109-86-4	0.01%
48	2-Ethoxyethanol	110-80-5	0.01%
49	Cobalt(II) sulphate (*3)	10124-43-3	0.01%
50	Cobalt(II) dinitrate (*3)	10141-05-6	0.01%
51	Cobalt(II) carbonate (*3)	513-79-1	0.01%
52	Cobalt(II) diacetate (*3)	71-48-7	0.01%
53	Alkanes C10-C13, chloro (Short Chain Chlorinated Paraffins) (SCCP)	85535-84-8	0.01%
54	2-Ethoxyethyl acetate	111-15-9	0.01%
55	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	0.01%
56	Hydrazine	302-01-2 / 7803-57-8	0.01%
57	1-Methyl-2-pyrrolidone (NMP)	872-50-4	0.01%
58	1,2,3-Trichloropropane	96-18-4	0.01%
59	1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	71888-89-6	0.01%
60	Aluminosilicate Refractory Ceramic Fibres (RCF) (*9)	-	0.01%
61	Zirconia Aluminosilicate Refractory Ceramic Fibres (Zr-RCF) (*9)	-	0.01%
62	Bis(2-methoxyethyl) phthalate	117-82-8	0.01%
63	2-Methoxyaniline,o-Anisidine	90-04-0	0.01%
64	4-(1,1,3,3-tetramethylbutyl)phenol	140-66-9	0.01%
65	Calcium arsenate (*3)	7778-44-1	0.01%
66	Trilead diarsenate (*3)	3687-31-8	0.01%
67	N,N-dimethylacetamide (DMAC)	127-19-5	0.01%
68	Phenolphthalein	77-09-8	0.01%
69	Lead dipicrate (*3)	6477-64-1	0.01%
70	Lead diazide, Lead azide (*3)	13424-46-9	0.01%
71	Lead styphnate (*3)	15245-44-0	0.01%
72	1,2-bis(2-methoxyethoxy)ethane (TEGDME, triglyme)	112-49-2	0.01%
73	1,2-dimethoxyethane, ethylene glycol dimethyl ether (EGDME)	110-71-4	0.01%
74	Diboron trioxide (*3) (*6)	1303-86-2	0.01%
75	Formamide	75-12-7	0.01%
76	Lead(II) bis(methanesulfonate) (*3)	17570-76-2	0.01%
77	1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazinane-2,4,6-trione (TGIC)	2451-62-9	0.01%






**Test Report No.: 0164093657a 001**

Page 16 of 20

78	1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione (p-TGIC)	59653-74-6	0.01%
79	4,4'-bis(dimethylamino)benzophenone (Michler's ketone), MK	90-94-8	0.01%
80	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base), RMK	101-61-1	0.01%
81	[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) [with ≤ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] (*10)	2580-56-5	0.01%
82	[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Violet 3) [with ≤ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] (*10)	548-62-9	
83	4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol [with ≤ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] (*10)	561-41-1	
84	a,a-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) [with ≤ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] (*10)	6786-83-0	
85	Bis(pentabromophenyl) ether (decabromodiphenyl ether) (DecaBDE)	1163-19-5	0.01%
86	Pentacosafuorotridecanoic acid	72629-94-8	0.01%
87	Tricosafuorododecanoic acid	307-55-1	0.01%
88	Henicosafuoroundecanoic acid	2058-94-8	0.01%
89	Heptacosafuorotetradecanoic acid	376-06-7	0.01%
90	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated (OPEO) <i>[covering well-defined substances and UVCB substances, polymers and homologues]</i>	-	0.01%
91	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide)) (ADCA) (*12)	123-77-3	0.05%
92	4-Nonylphenol, branched and linear <i>[substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]</i>	-	0.01%
93	Cyclohexane-1,2-dicarboxylic anhydride [1], cis-cyclohexane-1,2-dicarboxylic anhydride [2], trans-cyclohexane-1,2-dicarboxylic anhydride [3] [The individual cis- [2] and trans- [3] isomer substances and all possible combinations of the cis- and trans-isomers [1] are covered by this entry]	85-42-7 / 13149-00-3 / 14166-21-3	0.01%
94	Hexahydromethylphthalic anhydride (MHHPA) [1], Hexahydro-4-methylphthalic anhydride [2], Hexahydro-1-methylphthalic anhydride [3], Hexahydro-3-methylphthalic anhydride [4] [The individual isomers [2], [3] and [4] (including their cis- and trans- stereo isomeric forms) and all possible combinations of the isomers [1] are covered by this entry]	25550-51-0 / 19438-60-9 / 48122-14-1 / 57110-29-9	0.01%
95	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	0.01%
96	Diisopentylphthalate	605-50-5	
97	N-pentyl-isopentylphthalate	776297-69-9	
98	Methoxyacetic acid (MAA)	625-45-6	0.01%
99	N,N-dimethylformamide	68-12-2	0.01%
100	1,2-Diethoxyethane	629-14-1	0.01%
101	Diethyl sulphate	64-67-5	0.01%
102	Dimethyl sulphate	77-78-1	0.01%
103	N-methylacetamide	79-16-3	0.01%
104	1-bromopropane (n-propyl bromide)	106-94-5	0.01%
105	Furan	110-00-9	0.01%
106	Methyloxirane (Propylene oxide)	75-56-9	0.01%
107	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2	0.01%
108	Dibutyltin dichloride (DBTC) (*3)	683-18-1	0.01%
109	Dinoseb (6-sec-butyl-2,4-dinitrophenol)	88-85-7	0.01%






**Test Report No.: 0164093657a 001**

Page 17 of 20

110	4,4'-methylenedi-o-toluidine	838-88-0	0.01%
111	4,4'-oxydianiline and its salts	101-80-4	0.01%
112	4-Aminoazobenzene	60-09-3	0.01%
114	4-methyl-m-phenylenediamine (toluene-2,4-diamine)	95-80-7	0.01%
113	6-methoxy-m-toluidine (p-cresidine)	120-71-8	0.01%
115	Biphenyl-4-ylamine	92-67-1	0.01%
116	o-aminoazotoluene	97-56-3	0.01%
117	o-Toluidine	95-53-4	0.01%
118	Acetic acid, lead salt, basic (*3)	51404-69-4	0.01%
119	Trilead bis(carbonate) dihydroxide (*3)	1319-46-6	0.01%
120	Lead oxide sulfate (*3)	12036-76-9	0.01%
121	[Phthalato(2-)]dioxotrilead (*3)	69011-06-9	0.01%
122	Dioxobis(stearato)trilead (*3)	12578-12-0	0.01%
123	Fatty acids, C16-18, lead salts (*3)	91031-62-8	0.01%
124	Lead bis(tetrafluoroborate) (*3)	13814-96-5	0.01%
125	Lead cyanamidate (*3)	20837-86-9	0.01%
126	Lead dinitrate (*3)	10099-74-8	0.01%
127	Lead monoxide (lead oxide) (*3)	1317-36-8	0.01%
128	Orange lead (lead tetroxide) (*3)	1314-41-6	0.01%
129	Lead titanium trioxide (*3)	12060-00-3	0.01%
130	Lead titanium zirconium oxide (*3)	12626-81-2	0.01%
131	Pyrochlore, antimony lead yellow (*3)	8012-00-8	0.01%
132	Pentalead tetraoxide sulphate (*3)	12065-90-6	0.01%
133	Silicic acid (H <sub>3</sub> Si <sub>3</sub> O <sub>7</sub> ), barium salt (1:1), lead-doped <i>[with lead (Pb) content above the applicable generic concentration limit for 'toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD), the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008] (*3)</i>	68784-75-8	0.01%
134	Silicic acid, lead salt (*3)	11120-22-2	0.01%
135	Sulfurous acid, lead salt, dibasic (*3)	62229-08-7	0.01%
136	Tetraethyllead (*3)	78-00-2	0.01%
137	Tetralead trioxide sulphate (*3)	12202-17-4	0.01%
138	Trilead dioxide phosphonate (*3)	12141-20-7	0.01%
139	Dipentyl phthalate (DPP)	131-18-0	0.01%
140	Ammonium pentadecafluorooctanoate (APFO) (*13)	3825-26-1	0.01%
141	Pentadecafluorooctanoic acid (PFOA)	335-67-1	0.01%
142	Cadmium (*3)	7440-43-9	0.01%
143	Cadmium oxide (*3)	1306-19-0	0.01%
144	4-Nonylphenol, branched and linear, ethoxylated (NPEO)  <i>[substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]</i>	-	0.01%
145	Dihexyl phthalate	84-75-3	0.01%
146	Trixylyl phosphate	25155-23-1	0.01%
147	Imidazolidine-2-thione; (2-imidazoline-2-thiol)	96-45-7	0.01%
148	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-minonaphthalene-1-sulphonate) (C.I. Direct Red 28)	573-58-0	0.01%
149	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1937-37-7	0.01%
150	Lead di(acetate) (*3)	301-04-2	



**Test Report No.: 0164093657a 001**

Page 18 of 20

151	Cadmium sulphide (*3)	1306-23-6	0.01%
152	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	0.01%
153	Cadmium chloride (*3)	10108-64-2	0.01%
154	Sodium perborate, perboric acid, sodium salt (*3) (*6)	-	0.01%
155	Sodium peroxometaborate (*3) (*6)	7632-04-4	0.01%
156	Cadmium fluoride (*3)	7790-79-6	0.01%
157	Cadmium sulphate (*3)	10124-36-4 / 31119-53-6	0.01%
158	2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	3846-71-7	0.01%
159	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	0.01%
160	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE) (*14)	15571-58-1	0.01%
161	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE) (*15)	-	0.01%
162	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with $\leq$ 0.3% of dihexyl phthalate (EC No. 201-559-5)	68515-51-5 / 68648-93-1	0.01%
163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof]	-	0.01%
164	1,3-propanesultone	1120-71-4	0.01%
165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)	3864-99-1	0.01%
166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	0.01%
167	Nitrobenzene	98-95-3	0.01%
168	Perfluorononane-1-oic acid and its sodium and ammonium salts	375-95-1 21049-39-8 4149-60-4	0.01%
169	Benzo[def]chrysene (Benzo[a]pyrene)	50-32-8	0.01%
170	4,4'-isopropylidenediphenol (bisphenol A)	80-05-7	0.01%
171	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	335-76-2 3830-45-3 3108-42-7	0.01%
172	4-heptylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	-	0.01%
173	p-(1,1-dimethylpropyl)phenol	80-46-6	0.01%

**Test Report No.: 0164093657a 001**

Page 19 of 20

## Remark:


- (\*3) The substances are tested and calculated in terms of its respective elements (e.g. As, Pb, Co, B, Cd, Sn).
- (\*4) The substances are tested and calculated in terms of Cr (VI).
- (\*5) The substance is tested and calculated in terms of Tributyl tin.
- (\*6) The substances are confirmed and tested in terms of Boric acid when Boron is detected in the sample.
- (\*7) The substances are UVCB (substance of unknown or variable composition, complex reaction products or biological materials), which are identified by its main constituents.
- (\*8) Individual concentrations to the constituent of UVCB with an amount of < 0.01% were not considered by the calculation of the sum.
- (\*9) The test results are based on microscopic and chemical evaluation.
- (\*10) The substances are quantified in terms of Michler's ketone and Michler's base by LC-MS, as Michler's ketone or Michler's base was found exceeds 0.01%.
- (\*11) The content oligomer is determined by Py-GC/MS.
- (\*12) The content of diazene-1,2-dicarboxamide is analyzed in terms of its breakdown product.
- (\*13) The substance is tested in terms of pentadecafluorooctanoate.
- (\*14) The substance is tested and calculated in terms of Dioctyl tin.
- (\*15) The substance is tested and calculated in terms of Monooctyl tin and Dioctyl tin.
- (\*16) The tested material(s) was screened only for selected SVHCs. Selection of tests refers to the material type and application and the possibility of contamination during production & material specific contamination of the product.
- (\*17) The other SVHCs which are not mentioned in test result were either not subject to testing according to remark \*16 or not detected.



Test Report No.: 0164093657a 001

Page 20 of 20

**Sample Photo**



**Material No. 1-3**

- END -

# General Terms and Conditions of Business of TÜV Rheinland in Greater China

## 1. Scope

- 1.1 These General Terms and Conditions of Business of TÜV Rheinland in Greater China is made between the client and one or more member entities of TÜV Rheinland in Greater China as applicable as the case may be ("TÜV Rheinland").
- 1.2 The following terms and conditions apply to agreed services including consultancy services, information, deliveries and similar services as well as ancillary services and other secondary obligations provided within the scope of contract performance.
- 1.3 Any standard terms and conditions of the client of any nature shall not apply and shall hereby be expressly excluded. No standard contractual terms and conditions of the client shall form part of the contract even if TÜV Rheinland does not explicitly object to them.

## 2. Quotations

Unless otherwise agreed, all quotations submitted by TÜV Rheinland can be changed by TÜV Rheinland without notice prior to its acceptance and confirmation by the other party.

## 3. Coming into effect and duration of contracts

- 3.1 The contract shall come into effect for the agreed terms upon the quotation letter of TÜV Rheinland or a separate contractual document being signed by both contracting parties, or upon the works requested by the client being carried out by TÜV Rheinland. If the client instructs TÜV Rheinland without receiving a quotation from TÜV Rheinland (quotation), TÜV Rheinland is, in its sole discretion, entitled to accept the order by giving written notice of such acceptance (including notice sent via electronic means) or by performing the requested services.
- 3.2 The contract term starts upon the coming into effect of the contract in accordance with article 3.1 and shall continue for the term agreed in the contract.

- 3.3 If the contract provides for an extension of the contract term, the contract term will be extended by the term provided for in the contract unless terminated in writing by either party with a six-week notice prior to the end of the contractual term.

## 4. Scope of services

- 4.1 The scope of the services shall be decided solely by a unanimous declaration issued by both parties. If no such declaration exists, then the written confirmation of order by TÜV Rheinland shall be decisive.
- 4.2 The agreed services shall be performed in compliance with the regulations in force at the time the contract is entered into.
- 4.3 TÜV Rheinland is entitled to determine, in its sole discretion, the method and nature of the assessment unless otherwise agreed in writing or if mandatory provisions require a specific procedure to be followed.
- 4.4 On execution of the work there shall be no simultaneous assumption of any guarantee of the correctness (proper quality) and working order of either tested or examined parts nor of the installation as a whole and its upstream and/or downstream processes, organisations, use and application in accordance with regulations, nor of the systems on which the installation is based. In particular, TÜV Rheinland shall assume no responsibility for the construction, selection of materials and assembly of installations examined, nor for their use and application in accordance with regulations unless these questions are expressly covered by the contract.
- 4.5 In the case of inspection work, TÜV Rheinland shall not be responsible for the accuracy or checking of the safety programmes or safety regulations on which the inspections are based, unless otherwise expressly agreed in writing.

## 5. Performance periods/dates

- 5.1 The contractually agreed periods/dates of performance are based on estimates of the work involved which are prepared in line with the details provided by the client. They shall only be binding if being confirmed as binding by TÜV Rheinland in writing.
- 5.2 If binding periods of performance have been agreed, these periods shall not commence until the client has submitted all required documents to TÜV Rheinland.
- 5.3 Articles 5.1 and 5.2 also apply, even without express approval by the client, to all extensions of agreed periods/dates of performance not caused by TÜV Rheinland.

## 6. The client's obligation to cooperate

- 6.1 The client shall guarantee that all cooperation required on its part, its agents or third parties will be provided in good time and at no cost to TÜV Rheinland.
- 6.2 Design documents, supplies, auxiliary staff, etc. necessary for performance of the services shall be made available free of charge by the client. Moreover, collaborative action of the client must be undertaken in accordance with legal provisions, standards, safety regulations and accident prevention instructions.
- 6.3 The client shall bear any additional cost incurred on account of work having to be redone or being delayed as a result of late, incorrect or incomplete information provided by or lack of proper cooperation from the client. Even where a fixed or maximum price is agreed, TÜV Rheinland shall be entitled to charge extra fees for such additional expense.

## 7. Invoicing of work

- 7.1 If the scope of performance is not laid down in writing when the order is placed, invoicing shall be based on costs actually incurred. If no price is agreed in writing, invoicing shall be made in accordance with the price list of TÜV Rheinland valid at the time of performance.
- 7.2 Unless otherwise agreed, work shall be invoiced according to the progress of the work.
- 7.3 If the execution of an order extends over more than one month and the value of the contract or the agreed fixed price exceeds €2,500.00 or equivalent value in local currency, TÜV Rheinland may demand payments on account or in instalments.

## 8. Payment terms

- 8.1 All invoice amounts shall be due for payment without deduction on receipt of the invoice. No discounts shall be granted.
- 8.2 Payments shall be made to the bank account of TÜV Rheinland as indicated on the invoice, stating the invoice and customer numbers.
- 8.3 In cases of default of payment, TÜV Rheinland shall be entitled to claim default interest at the applicable short term loan interest rate publicly announced by a reputable commercial

bank in the country where TÜV Rheinland is located. At the same time, TÜV Rheinland reserves the right to claim further damages.

- 8.4 Should the client default in payment of the invoice despite being granted a reasonable grace period, TÜV Rheinland shall be entitled to cancel the contract, withdraw the certificate, claim damages for non-performance and refuse to continue performance of the contract.

- 8.5 The provisions set forth in article 8.4 shall also apply in cases involving returned cheques, cessation of payment, commencement of insolvency proceedings against the client's assets or cases in which the commencement of insolvency proceedings has been dismissed due to lack of assets.

- 8.6 Objections to the invoices of TÜV Rheinland shall be submitted in writing within two weeks of receipt of the invoice.

- 8.7 TÜV Rheinland shall be entitled to demand appropriate advance payments.

- 8.8 TÜV Rheinland shall be entitled to raise its fees at the beginning of a month if overheads and/or purchase costs have increased. In this case, TÜV Rheinland shall notify the client in writing of the rise in fees. This notification shall be issued one month prior to the date on which the rise in fees shall come into effect (period of notice of changes in fees). If the rise in fees remains under 5% per contractual year, the client shall not have the right to terminate the contract. If the rise in fees exceeds 5% per contractual year, the client shall be entitled to terminate the contract by the end of the period of notice of changes in fees. If the contract is not terminated, the changed fees shall be deemed to have been agreed upon by the time of the expiry of the notice period.

- 8.9 Only legally established and undisputed claims may be offset against claims by TÜV Rheinland.

## 9. Acceptance

- 9.1 Any part of the work ordered which is complete in itself may be presented by TÜV Rheinland for acceptance as an instalment. The client shall be obliged to accept it immediately.

- 9.2 If the client fails to fulfil its acceptance obligation immediately, acceptance shall be deemed to have taken place 4 calendar weeks after completion of the work provided that TÜV Rheinland has specifically made the client aware of the aforementioned deadline upon completion of the work.

## 10. Confidentiality

- 10.1 For the purpose of these terms and conditions, "confidential information" means all information, documents, images, drawings, know-how, data, samples and project documentation which one party (the "disclosing party") hands over, transfers or otherwise discloses to the other party (the "receiving party"). Confidential information also includes paper copies and electronic copies of such information.

- 10.2 The disclosing party shall mark all confidential information disclosed in written form as confidential before passing it onto the receiving party. The same applies to confidential information transmitted by e-mail. If confidential information is disclosed orally, the receiving party shall be appropriately informed in advance and the disclosing party shall confirm in writing the confidentiality nature of the information within five working days of oral disclosure. Where the disclosing party fails to do so within the stipulated period, the receiving party shall not take any confidentiality obligations hereunder towards such information.

- 10.3 All confidential information which the disclosing party transmits or otherwise discloses to the receiving party during performance of work by TÜV Rheinland:

a) may only be used by the receiving party for the purposes of performing the contract, unless expressly otherwise agreed in writing by the disclosing party;

b) may not be copied, distributed, published or otherwise disclosed by the receiving party, unless this is necessary or fulfilling the purpose of the contract or TÜV Rheinland is required to pass on confidential information, inspection reports or documentation to the government authorities, judicial court, accreditation bodies or third parties that are involved in the performance of the contract;

c) must be treated by the receiving party with the same level of confidentiality as the receiving party uses to protect its own confidential information, but never with a lesser level of confidentiality than that which is reasonably required.

- 10.4 The receiving party may disclose any confidential information received from the disclosing party only to those of its employees who need this information to perform the services required for the contract. The receiving party undertakes to oblige these employees to observe the same level of secrecy as set forth in this confidentiality clause.

- 10.5 Information for which the receiving party can furnish proof that:

a) it was generally known at the time of disclosure or has become general knowledge without violation of this confidentiality clause by the receiving party; or

b) it was disclosed to the receiving party by a third party entitled to disclose this information; or

c) the receiving party already possessed this information prior to disclosure by the disclosing party; or

d) the receiving party developed it itself, irrespective of disclosure by the disclosing party, shall not be deemed to constitute "confidential information" as defined in this confidentiality clause.

- 10.6 All confidential information shall remain the property of the disclosing party. The receiving party hereby agrees to immediately (i) return all confidential information, including all copies, to the disclosing party, and/or (ii) on request by the disclosing party, to destroy all confidential information, including all copies, and confirm the destruction of this confidential information to the disclosing party in writing, at any time if so requested by the disclosing party but at the latest and without special request after termination or expiry of the contract. This does not extend to include reports and certificates prepared for the client solely for the purpose of fulfilling the obligations under the contract, which shall remain with the client. However, TÜV Rheinland is entitled to make file copies of such reports, certificates and confidential information that forms the basis for preparing these reports and certificates in order to evidence the correctness of its results and for general documentation purposes required by laws, regulations and the requirements of working procedures of TÜV Rheinland.

- 10.7 From the start of the contract and for a period of three years after termination or expiry of the contract, the receiving party shall maintain strict secrecy of all confidential information and

shall not disclose this information to any third parties or use it for itself.

## 11. Copyrights

- 11.1 TÜV Rheinland shall retain all exclusive copyrights in the expert reports, test results, calculations, presentations etc. prepared by TÜV Rheinland.

- 11.2 The client may only use such expert reports, test results, calculations, presentations etc. prepared within the scope of the contract for the contractually agreed purpose.

- 11.3 The client may use test reports, test results, expert reports, etc. only complete and unshortened. Any publication or duplication for advertising purposes needs the prior written approval of TÜV Rheinland.

## 12. Liability of TÜV Rheinland

- 12.1 Irrespective of the legal basis, in the event of a breach of contractual obligations or tort, the liability of TÜV Rheinland for all damages, losses and reimbursement of expenses caused by TÜV Rheinland, its legal representatives and/or employees shall be limited to: (i) in the case of a contract with a fixed overall fee, three times the overall fee for the entire contract; (ii) in the case of a contract for annually recurring services, the agreed annual fee; (iii) in the case of a contract expressly charged on a time and material basis, a maximum of 20,000 Euro or equivalent amount in local currency; and (iv) in the case of a framework agreement that provides for the possibility of placing individual orders, three times of the fee for the individual order under which the damages or losses have occurred. Notwithstanding the above, in the event that the total and accumulated liability calculated according to the foregoing provisions exceeds 2.5 Million Euro or equivalent amount in local currency, the total and accumulated liability of TÜV Rheinland shall be only limited to and shall not exceed the said 2.5 Million Euro or equivalent amount in local currency.

- 12.2 The limitation of liability according to article 12.1 above shall not apply to damages and/or losses caused by malice, intent or gross negligence on the part of TÜV Rheinland or its vicarious agents. Such limitation shall not apply to damages for a person's death, physical injury or illness.

- 12.3 In cases involving a fundamental breach of contract, TÜV Rheinland will be liable even where minor negligence is involved. For this purpose, a "fundamental breach" is breach of a material contractual obligation, the performance of which permits the due performance of the contract. Any claim for damages for a fundamental breach of contract shall be limited to the amount of damages reasonably foreseen as a possible consequence of such breach of contract at the time of the breach (reasonably foreseeable damages), unless any of the circumstances described in article 12.2 applies.

- 12.4 TÜV Rheinland shall not be liable for the acts of the personnel made available by the client to support TÜV Rheinland in the performance of its services under the contract, unless such personnel made available is regarded as vicarious agent of TÜV Rheinland. If TÜV Rheinland is not liable for the acts of the personnel made available by the client under the foregoing provision, the client shall indemnify TÜV Rheinland against any claims made by third parties arising from or in connection with such personnel's acts.

- 12.5 The limitation periods for claims for damages shall be based on statutory provisions.

- 12.6 None of the provisions of this article 12 changes the burden of proof to the disadvantage of the client.

## 13. Partial invalidity, written form, place of jurisdiction and dispute resolution

- 13.1 All amendments and supplements must be in writing in order to be effective. This also applies to amendments and supplements to this clause 13.1.

- 13.2 Should one or several of the provisions under the contract and/or these terms and conditions be or become ineffective, the contracting parties shall replace the invalid provision with a legally valid provision that comes closest to the content of the invalid provision in legal and commercial terms.

- 13.3 Unless otherwise stipulated in the contract, the governing law of the contract and these terms and conditions shall be chosen following the rules as below:

a) if TÜV Rheinland in question is legally registered and existing in the People's Republic of China, the contracting parties hereby agree that the contract and these terms and conditions shall be governed by the laws of the People's Republic of China.

b) if TÜV Rheinland in question is legally registered and existing in Taiwan, the contracting parties hereby agree that the contract and these terms and conditions shall be governed by the laws of Taiwan.

c) if TÜV Rheinland in question is legally registered and existing in Hong Kong, the contracting parties hereby agree that the contract and these terms and conditions shall be governed by the laws of Hong Kong.

- 13.4 Any dispute in connection with the contract and these terms and conditions or the execution thereof shall be settled friendly through negotiations.

Unless otherwise stipulated in the contract, if no settlement or no agreement in respect of the extension of the negotiation period can be reached within two months of the arising of the dispute, the dispute shall be submitted:

a) in the case of TÜV Rheinland in question being legally registered and existing in the People's Republic of China, to China International Economic and Trade Arbitration Commission (CIETAC) to be settled by arbitration under the Arbitration Rules of CIETAC in force when the arbitration is submitted. The arbitration shall take place in Beijing, Shanghai, Shenzhen or Chongqing as appropriately chosen by the claiming party.

b) in the case of TÜV Rheinland in question being legally registered and existing in Taiwan, to Chinese Arbitration Association Taipei Branch to be arbitrated in accordance with its then current Rules of Arbitration. The arbitration shall take place in Taipei.

c) in the case of TÜV Rheinland being legally registered and existing in Hong Kong, to Hong Kong International Arbitration Centre (HKIAC) to be settled by arbitration under the HKIAC Administered Arbitration Rules in force when the Notice of Arbitration is submitted in accordance with these rules. The arbitration shall take place in Hong Kong.

The decision of the relevant arbitration tribunal shall be final and binding on both parties. The arbitration fee shall be borne by the losing party.